

TECHNICAL DATA SHEET

GENON

SPECIFICATIONS

Info	Osnaburg	non-woven
Total Weight oz/Lin Yd	20 oz.	20 oz.
Total Weight oz/yd ²	13.3 oz.	13.3 oz.
Vinyl Film Weight oz/yd ²	11.3 oz.	11.3 oz.
Fabric Weight oz/yd ²	1.1 oz.	2.0 oz.
Fabric Type	Osnaburg	Non-Woven
Thickness (inches)	.021 inches	.021 inches
Tensile Strength (FxW)	65 warp/65 fill	75 warp/65 fill
Tear Strength (FxW)	35 x 30	35 x 30
Type per Fed. Spec. CCC-W-408D	II	II
NFPA 286 Corner Burn Test	passes	passes
UL 723 (ASTM E-84) Test Results Flame/Smoke	20/45	20/35
Class A NFPA 101 Life Safety Code	passes	passes
Tested in accordance with CAN/ULC S102.2	0/45	N/A
Non-Phthalate	yes	yes
Low VOC, California section 01350 IAQ	yes	yes
California Prop 65, no labeling required	yes	yes
EPD/HPD	yes	yes
10% Recycled content	yes	yes
Inherent anti-microbial protection	yes	yes
Withstands hospital-grade cleaners & disinfectants when used as directed	yes	yes