

BORNEO

BAKBAK ON NON-WOVEN BACKING



BOA106



BOA105



BOA104



BOA103



BOA102



BOA101



BOA107

NB : The portrayed colours may differ from reality.

References BOA10.

Composition: bakkak on non-woven backing

Weight: $\pm 1310 \text{ g/m}^2$ ($\pm 38,21 \text{ oz/sq yd}$)



Width of the wallcovering:
110 cm ($\pm 43 \frac{3}{10}$).



Pattern repeat is
0 cm (0") and
the design does
not need to be
matched.



Ecological.



Apply a ready
mixed PVA or
EVA clear
adhesive directly
to the wall.
Abundantly
humidify the
backing of the
wallcovering –
soaking time ca.
1 hour.



Light resistant:
Xeno test 5-7.



Sold by cut
length.

BORNEO

RAFFIA ON NON-WOVEN BACKING



BOA201



BOA203



BOA204



BOA202



BOA209




BOA207



BOA206

NB : The portrayed colours may differ from reality.



References BOA20.
Composition: raffia on non-woven backing
Weight: $\pm 300 \text{ g/m}^2$ ($\pm 8,75 \text{ oz/sq yd}$)
The wallcovering can be installed vertically or horizontally.



Width of the wallcovering:
91 cm ($\pm 35 \frac{4}{5}$).



Pattern repeat is
0 cm (0") and
the design does
not need to be
matched.



Ecological.



Apply a ready
mixed PVA or
EVA clear ad-
hesive directly
to the wall, no
need to
humidify the
back of the
wallcovering.



Light resistant:
Xeno test 4-6.



Sold by cut
length.



This design
requires reverse
hanging.

BORNEO

NON-WOVEN TEXTILE WALLCOVERING




NB : The portrayed colours may differ from reality.

References BOA3..

Composition: mixture of cellulose and polyester

Weight: $\pm 196 \text{ g/m}^2$ ($\pm 5,72 \text{ oz/sq yd}$)

Custom colouring on request.



Width of the wallcovering:
100 cm ($\pm 39'' 1/3$).



Pattern repeat is
0 cm (0") and
the design does
not need to be
matched.



Fire resistant:
EU: B, s1-d0
US: class A



Light resistant:
Xeno test 6-7.



Extra washable.



Breathable.



This design
requires reverse
hanging.



Apply a ready mixed PVA or
EVA clear adhesive directly
to the wall, no need to
humidify the back of the
wallcovering.



Sold by cut
length.



Product
complying with
the council
directive
2014/90/ EU
on marine
equipment



Manufactured
with recycled
fibres.



Printed with
solar energy.



Ecological.



The mark of
responsible forestry