

OMEXCO
Fine Belgian Wallcoverings



KHATAM
PRINTED CORK



KHA I 5



KHA I 4



KHA I 3



KHA I 2




KHA I 1

NB : The portrayed colours may differ from reality.


References KHA I

Composition: cork

Weight: $\pm 283 \text{ g/m}^2$ ($\pm 9,98 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Fire resistant:
US: class A



This design
requires reverse
hanging.



Sold by the
metre/yard.
No minimum.



Light resistant:
Xeno test 5.



Apply a ready
mixed PVA or EVA
clear adhesive
directly to the wall,
no need to humidify
the back of the
wallcovering.



Ecological.



Seamless.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



KHATAM
PRINTED CORK




KHA 2 2




KHA 2 4

NB : The portrayed colours may differ from reality.




References KHA 2
Composition: cork
Weight: $\pm 550 \text{ g/m}^2$ ($\pm 16,22 \text{ oz/sq yd}$)

KHA 2 are marquetrys made by craftsmen. Every single piece of cork is applied manually with the utmost care. Irregularities in the design can occur - they reveal the handmade production process and create the charming and unique character of these marquetrys.



Width of the wallcovering.



Pattern repeat is $\pm 122 \text{ cm}$ ($\pm 48"$) and the design needs a straight match.



Fire resistant:
US: class A



Seamless.



Sold by the metre/yard.
No minimum.



Light resistant:
Xeno test 4-5.



Apply a ready mixed pva or eva clear adhesive directly to the wall - abundantly humidify the backing of the wallcovering - soaking time at least 20 minutes.



Ecological.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



KHATAM
PRINTED CORK



KHA 3 3



KHA 3 2



KHA 3 4




KHA 3 1




KHA 3 5


NB : The portrayed colours may differ from reality.



References KHA 3
Composition: cork
Weight: $\pm 269 \text{ g/m}^2$ ($\pm 9,49 \text{ oz/sq yd}$)



Width of the
wallcovering.



The pattern
repeat of the
design is ± 91
cm / ± 35 " 4/5
(max $\pm 30,3$ cm
/ ± 11 " 9/10)
and needs an
offset match.



Fire resistant:
US: class A



Seamless.



Sold by the
metre/yard.
No minimum.



Light resistant:
Xeno test 4-5.



Apply a ready
mixed PVA or EVA
clear adhesive
directly to the wall,
no need to humidify
the back of the
wallcovering.



Ecological.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



KHATAM
PRINTED CORK



KHA 46




KHA 42




KHA 44

NB : The portrayed colours may differ from reality.

References KHA 4
Composition: cork
Weight: $\pm 278 \text{ g/m}^2$ ($\pm 8,20 \text{ oz/sq yd}$)



Width of the
wallcovering.



Pattern repeat
is 0 cm (0") and
the design does
not need to be
matched.



Fire resistant:
US: class A



Seamless.



Sold by the
metre/yard.
No minimum.



Light resistant:
Xeno test 4-5.



Apply a ready
mixed PVA or EVA
clear adhesive
directly to the wall,
no need to humidify
the back of the
wallcovering.



Ecological.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



KHATAM
PRINTED CORK



KHA 5 1



KHA 5 2



KHA 5 3




KHA 5 5




KHA 5 4

NB : The portrayed colours may differ from reality.

References KHA 5
Composition: cork
Weight: $\pm 202 \text{ g/m}^2$ ($\pm 5,95 \text{ oz/sq yd}$)



Width of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



Fire resistant:
US: class A



Seamless.



Sold by the metre/yard.
No minimum.



Light resistant:
Xeno test 4-5.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological.



This design requires reverse hanging.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com

OMEXCO
Fine Belgian Wallcoverings



KHATAM
PRINTED CORK



KHA64




KHA63




KHA61

NB : The portrayed colours may differ from reality.




References KHA6
Composition: cork
Weight: $\pm 211 \text{ g/m}^2$ ($\pm 6,22 \text{ oz/sq yd}$)

KHA6 are marquetrys made by craftsmen. Every single piece of cork is applied manually with the utmost care. Irregularities in the design can occur - they reveal the handmade production process and create the charming and unique character of these marquetrys.



Width of the wallcovering.



Pattern repeat is $\pm 46,1 \text{ cm}$ ($\pm 18'' \frac{1}{5}$) and the design needs a straight match.



Fire resistant:
US: class A



Seamless.



Sold by the metre/yard.
No minimum.



Light resistant:
Xeno test 4-5.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Ecological.

More information and samples are available on request.

Omexco n.v. - Ambachtenlaan 12 - 3001 Heverlee - Belgium
t. +32 16 40 18 80 - info@omexco.com - www.omexco.com